



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Paper No. 16

Application Number: 09/437,226
Filing Date: November 10, 1999
Appellant(s): TULLOCH ET AL.

Stanley C. Spooner
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 04/11/2003 and the Order From the Board of Appeals dated 03/17/2004.

(1) *Real Party in Interest*

A statement identifying the real party in interest is contained in the brief.

(2) *Related Appeals and Interferences*

A statement identifying the related appeals and interferences which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

(3) *Status of Claims*

The statement of the status of the claims contained in the brief is correct.

(4) *Status of Amendments After Final*

No amendment after final has been filed.

(5) *Summary of Invention*

The summary of invention contained in the brief is deficient because the explanation fails to refer to the specification by page and line number.

Method steps of fig. 3 explain the invention as claimed. Inspecting integrity of insulation of a wire or cable is disclosed at pages 7-10 of the disclosure, wherein, a current flows through a loom 1 (wires or cables 2) using electrical circuits (lines 18-21 of page 7), a dissipated heat from the loom is detected by camera 5 and displayed on monitor 6 as a thermal image along the length of the loom and provides datum values (lines 22-25 of page 7). The amount of electrolyte fluid 11 (fig. 1b) from spray dispenser 10 (fig. 1b) to be sprayed on the loom 1 (fig. 1b and 2a) is dependent upon the datum values of the heat emission. Too much electrolyte could cause a short circuit and too little may not allow a leakage current to flow, so damage may not be detected in areas

Art Unit: 2829

of the loom hidden from direct view (third paragraph of page 10). After spraying electrolyte on to the loom 1, which causes leakage current to flow between adjacent damage sites 13-14 on the loom 1, the camera 5 is again passed over the length of the loom to detect heat emanating (fig. 2b) from the loom and can allow detection of damaged sites (fig. 2b-2c) undetectable without the electrolyte (last two paragraph on page 10).

(6) Issues

The appellant's statement of the issues in the brief is correct.

(7) Grouping of Claims

The rejection of claims 1-25 stand or fall together because appellant's brief does not include a statement that this grouping of claims does not stand or fall together and reasons in support thereof. See 37 CFR 1.192(c)(7).

(8) Claims Appealed

The copy of the appealed claims contained in the Appendix to the brief is correct.

Art Unit: 2829

(9) Prior Art of Record

| | | |
|-----------|-----------------------|---------|
| 5,574,377 | Marquez-Lucero et al. | 11-1996 |
| 5,637,871 | Piety et al. | 06-1997 |

"Development of thermographic NDT for the damage inspection in carbon fiber reinforced plastics" by Ogura et al. June 1996. American Soc. Nondestructive Testing, Columbus, OH. page 420-425.

"Aircraft Electrical Wet-Wire Arc Tracking" by Cahil et al. Aug. 1988. Federal Aviation Adm. Tech. Center, NJ 08405. 24 pages.

(10) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2, 4-7, 12-14 and 16-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cahill et al. (Aircraft Electrical We-Wire Arc Tracking) in view of

Art Unit: 2829

Ogura et al. (Development of thermographic NDT for the damage inspection in carbon fiber reinforced plastics).

Regarding claim 1, Cahill et al. (hereafter Cahill) discloses: a method for inspecting the integrity of insulation of an insulated wire or cable [see abstract on page 1] including the steps of; passing a current [lines 13-14 of Experimental Test Setup on page 2 and fig. 2] through said wire or cable [lines 1-11 of Experimental Test Setup on page 2], applying a fluid having electrolytic properties [lines 14-23 of Experimental Test Setup on page 2] to said wire or cable.

Cahill discloses in fig. 2 a method for inspecting the integrity of insulation of an insulated wire or cable. Cahill does not explicitly disclose, using a thermal imaging system to detect and display the intensity of heat emanating from said wire or cable. However, Cahill discloses measurement of temperature of surface discharge of wire [see Background on page 1 and fig. 16-17 on page 17]. Ogura et al. (hereafter Ogura) discloses use of a thermal imaging system to detect and display the intensity of heat emanating from insulated wire or cable [fig. 1-2 and lines 9-17 on page 422]. Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the a method for inspecting the integrity of insulation of Cahill by using thermal image system as taught by Ogura for the purpose of identifying the flaws and defects in the insulated wire or cable from a temperature distribution on a surface of an insulation [see introduction on page 420].

Regarding claim 2, Ogura discloses: the thermal imaging system comprises an infra-red detector [camera of fig. 2] and a display monitor [monitor of fig. 2].

Art Unit: 2829

Regarding claim 4, Ogura discloses: the infra-red detector is a thermal imaging camera [camera of fig. 2].

Regarding claim 5, Ogura discloses: the infra-red detector is hand held [inherent to fig. 2 and thermographic NDT].

Regarding claim 6, Ogura discloses: the infra-red detector is stand mounted [inherent to fig. 2 and thermographic NDT].

Regarding claim 7, Ogura discloses: the infra-red detector is capable of detecting temperature changes of less than 0.5 degree C [inherent to fig. 4 and lines 18-29].

Regarding claim 12, Cahill discloses: said fluid is capable of conducting a leakage current [second paragraph of Experimental Test Setup on page 2].

Regarding claim 13, Cahill discloses: leakage current measuring means [circuit breaker of fig. 1-9] and on page 5] are provided to measure said leakage current.

Regarding claim 14, Cahill discloses the leakage current measuring means (ammeter) [see tables 2-4 and page 2].

Regarding claim 16, Cahill discloses: said fluid is an aqueous saline solution [ocean water salt of page 2].

Regarding claim 17, Cahill discloses: said fluid comprises sodium chloride in the range 1 to 3% by mass [salt of page 2].

Regarding claim 18, Cahill and Ogura does not explicitly discloses said fluid comprises 2% sodium chloride by mass. However, Cahill discloses 4% salts contacts with ocean water as electrolyte fluid [see page 2]. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to use fluid

Art Unit: 2829

with 2% sodium chloride by mass, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Regarding claim 19, Cahill discloses said fluid comprises ammonium chloride in the range 1 to 3% by mass [blue fluid of page 2].

Regarding claim 20, Cahill discloses: said fluid is dripped on to the wire or cable [drip rate on page 2].

Regarding claim 21, Cahill discloses: said fluid is sprayed on to the wire or cable [water salt spray of page 2].

Regarding claim 22, Cahill discloses: said fluid includes a wetting agent [water of page 2], said wetting agent being capable of reducing the surface tension of the fluid and thereby preventing large droplets from forming.

Regarding claim 23, Cahill discloses: said fluid is non-corrosive [blue flush fluid used in air craft as disclosed on page 2] and is of a type that causes no substantial degradation of elastomeric polymer insulation around any wires or cables to which it is applied.

Regarding claim 24, Ogura discloses: said thermal imaging system is used to detect and display the intensity of heat emanating from the wire or cable prior to the application of said fluid, to provide datum values of heat emission [fig. 1-2].

Regarding claim 25, Cahill discloses: the amount of fluid used is dependent upon said datum values [see Effect of Electrolyte Conductivity on page 12].

Art Unit: 2829

Claim 15 rejected under 35 U.S.C. 103(a) as being unpatentable over Cahill and Ogura as applied to claims 14, 13, 12 and 1 above, and further in view of Marquez-Lucero et al. (US 5574377).

Regarding claim 15, Cahill and Ogura discloses the leakage current measuring means. Cahill and Ogura does not explicitly disclose said leakage current measuring means comprises an oscilloscope. Marquez-Lucero et al. (hereafter Marquez) discloses an oscilloscope [17 of fig. 9 and lines 27-31 of column 3]. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for inspecting the integrity of insulation of an insulated wire or cable of Cahill and Ogura by adding oscilloscope as taught by Marquez to measure amplitude and phase values of leakage current to study an electrical characteristic of the insulation of wire or cable.

Claims 3 and 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ogura and Cahill as applied to claim 1 above, and further in view of Piety et al. (US 5637871).

Regarding claim 3, Ogura and Cahill discloses a method for inspecting the integrity of insulation of an insulated wire or cable using a thermal imaging system to detect and display the intensity of heat emanating from said wire or cable. Ogura and Cahill does not explicitly disclose a recording means are provided for recording images displayed by the thermal imaging system. However, Piety et al. (hereafter Piety) discloses a recording means [see abstract, 52 of fig. 1 and 114 of fig. 3] are provided for recording images displayed by the thermal imaging system [50 of fig. 1 and 100 of fig.

Art Unit: 2829

3]. It would have been obvious to a person having ordinary skill in the art at the time the invention modify the thermal imaging system of Ogura and Cahill by adding recording means for the purpose of storing and processing the thermal images as taught by Piety to detect the defects in the sample [see lines 19-50 of column 1].

Regarding claim 8, Piety discloses: said recording means is adapted to allow displayed images to be stored on computer disks [see lines 1-6 of abstract and 252 of fig. 4].

Regarding claim 9, Piety discloses: said recording means is adapted to allow images to be stored on video tape [lines 23-36 of column 7].

Regarding claim 10, Ogura discloses: said images are displayed as calibrated spacial thermal images [see SAM and paragraph 5.2 on page 424].

Regarding claim 11, Ogura discloses: a false colour scale is used to represent various temperatures on displayed images [see SAM on page 424].

(11) Response to Argument

Appellant's arguments commence on page 6, Section VIII.

(A1) Under sub-section 1 (i.e. VIII-1), with regards to the Cahill reference appellant's argues that, Cahill does not disclose "method for inspecting the integrity of insulation" because testing starts with non-integral (due to intentional cuts in insulation of wires) insulation, in order to promote leakage current to determine their resistance to thermal degradation.

Examiner respectfully disagrees for these reasons: Cahill's method for testing the insulations requires passing a current through wires and application of electrolyte fluid, in order to promotes leakage current to determine their resistance to thermal degradation. Here, Cahill's method to test different insulation of wire and appellant's method to inspect the integrity of insulation is same. Also, Cahill's insulation has intentional cut whereas appellant's insulation has damage (element 13, 14 of fig. 2) due to impact of a tool during installation of wires. In both cases, a defect exists and they are being tested. The defects of the prior art having been intentionally created in no way detract from the teaching of the method and of testing. Appellant also discloses conduction of leakage current between damage sites (13 and 14 of fig. 2) via electrolyte fluid (amendment C8, paper no. 8).

Hence, if integrity of the insulation is broken or varies (due to intentional cutting) it directly affects measurement of leakage current and thus thermal degradation (caused due to cut in the insulation of wire and passing a current to wire after application of electrolyte fluid on insulation of the wire) of the insulation of the wire exactly as claimed in claim 1, i.e. passing a current through wire or cable, applying a fluid having electrolyte properties to said wire or cable, and then detecting the intensity of heat emanating from said wire or cable. Therefore, it is clear to this examiner that Cahill does disclose a method for inspecting the integrity of insulation by detecting the intensity of heat emanating from the said wire or cable as claimed (see the Background of page 1 and fig. 16-17 on page 17), because damage to the insulation, intentional or accidental alike, can be detected or inspected as disclosed by Cahill.

Art Unit: 2829

Furthermore, the recitation "method for inspecting the integrity of insulation" occurs in the preamble. A preamble generally does not distinguish a claim over prior art where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951). More importantly, the body of appellant's claims set forth method steps (i.e. application of current to wire, applying a fluid having electrolytic property and detection of heat intensity) that are identically disclosed in Cahill. Since all of the method steps are disclosed, the preamble cannot distinguish a claim over prior art as said earlier. Furthermore, since all of the apparatus limitations and method steps are disclosed any intended functionality is not considered distinguishing.

(A2) Appellant's further argues at pages 6-21 of appeal brief that: 1) Examiner has ignored the fact that Cahill requires the cutting of each of the wires insulation so as to expose the wire themselves; 2) the Examiner mischaracterizes Cahill as a "method for inspecting the integrity of insulation." Cahill actually and intentionally cuts away or breaches the insulation on the wires under test and therefore starts with a known non-integral insulation and tests the effects of a breach in insulation on a wire bundle; and 3) Because Cahill intentionally breaches the integrity of the insulation under test, it cannot be considered a method for inspecting integrity of insulation. Examiner disagrees with appellant's assertion for the reason stated above.

The examiner further submits that any intentional cut in the wire changes the integrity of the wire and hence affects the measured parameters such as leakage current and thermal degradation. Therefore, even when the integrity is breach, still Cahill has to inspect and measure the insulation as shown by the measurements in Table 1-4 and fig. 3-14 with the same method steps as in claim 1, i.e. passing a current through wire or cable, applying a fluid having electrolyte properties to said wire or cable, and then detecting the intensity of heat emanating from said wire or cable. Hence, Cahill does disclose the method for inspecting the integrity of insulation as stated before.

(A3) At pages 7-21 appellant's argues that, "it is concerned with the consequences of a breach in integrity ... and is not at all concerned with any method of inspecting the integrity of existing insulation". Examiner disagrees because at page 2 (under Experimental Test Setup) Cahill discloses use of wires, each about of 14 inches in length, two cuts are separated longitudinally by approximately 10 mm and Lab Sample photograph as shown in fig. 3-14 clearly teaches and/or suggest that it is inspecting integrity of existing insulation. Further, even if Cahill is, arguendo, concerned with the consequences of a breach in integrity, he still teaches the claimed method as discussed above.

(A4) Applicant at pages 7-21 argues that, "Cahill does not explicitly disclose, using a thermal imaging system to detect and display the intensity of heat emanating from said wire or cable. Thus, Cahill is not concerned with a method for inspecting integrity of insulation and does not use any method of thermal imaging to detect and display heat emanating from the wire or cable." Examiner agrees with appellant's

Art Unit: 2829

assertion that Cahill does not explicitly disclose, using a thermal imaging system to detect and display the intensity of heat emanating from said wire or cable. Cahill discloses in fig. 3-14 (lab sample photograph of wire bundle) and in fig. 15-17 (measurement of temperature) a detection of heat intensity (temperature) for inspecting the insulation of wire. Ogura reference cited by Examiner discloses thermal imaging system, see rejection under 35 USC 103(a) of the last office action (paper no. 12). Ogura discloses heating a sample, which causes temperature distribution on the surface of the sample. Taking the thermal image of this temperature distribution on the surface to clearly identify the defect shape and size in the insulation or sample. Here, thermal image of the sample surface is/are taken with camera of fig. 2 . Cahill discloses temperature distribution on the surface of the insulation and detection of this temperature in fig. 15-17. Which means that Cahill needs thermal measurement.

Further, Cahill has lab photograph of insulation of wires in fig. 3-14. Cahill does not disclose how to get those photograph (images). Therefore, it would have been obvious to one having ordinary skill in the art to use thermal image system (camera) of Ogura with Cahill, because Ogura presents a known method of printing the thermal images with good accuracy. Therefore, examiner concludes that combination is obvious for the purpose of identifying flaws and defects in the insulation from a temperature distribution on a surface of the insulation.

Furthermore, appellants stated on page 8 that "While thermal imaging by itself is well known in the art and is used and taught in the Ogura reference, its teaching is for the entirely different reason than that in the claimed invention," Here, Ogura teaches

Art Unit: 2829

use of thermal image system to display images of defects in the insulation (see lines 9-22 on page 422 and camera fig. 2a and 2b with display chart above the camera) and shows photograph of temperature distribution around spots of defects in the insulation (fig. 3a-3b). Hence, one of the ordinary skills in the art would have been motivated to modify Cahill (where measurement of the temperature is taught but not explicitly disclosed) to add or include thermal imaging system as taught by Ogura to identify flaws and defects in the insulation. Examiner directs to section 11(A1) of this Examiner's Answer for a response to the argument regarding "inspecting the integrity of the insulation".

(A5) At pages 7-21 of appeal brief appellant's argues that, "Cahill is directed only to the problem of evaluating different types of insulation as to their resistance against thermal degradation caused by wet-wire arcing and is unrelated to the problem of evaluating the integrity of insulation on a wire or cable." Examiner respectfully disagrees for the same reason as stated in section 11(A1) above. Irrespective of why Cahill is interested in the problem, he teaches the method of testing the insulation integrity as claimed i.e. passing a current through wire or cable, applying a fluid having electrolyte properties to said wire or cable, and then detecting the intensity of heat emanating from said wire or cable.

(B1) In response to appellant's argument that "a brief review of the Ogura reference will show that it has nothing to do with insulated wires or cables and instead is directed to the non-destructive testing of carbon fiber reinforced panels" and "In neither of Figs. 1 and 2 of Ogura is there any disclosure of a general method for inspecting the

Art Unit: 2829

integrity of insulation, nor is there any disclosure of the step of passing a current through a wire or cable or applying a fluid having electrolytic properties to the wire or cable and then using thermal imaging,” examiner notes that it is true that Ogura reference does not disclose testing with cables, but it is also true that Ogura uses a thermal imaging system to detect flaws and defects in insulation. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Cahill discloses providing a picture of tested insulation of wires with temperature distribution on the surface of the insulation in fig. 3-17 and Ogura teaches a method for providing pictures of insulations. Therefore, it would have been obvious to one having ordinary skill in the art to use thermal image system (camera) of Ogura with Cahill, because Ogura presents a known method of providing thermal images (pictures) with good accuracy.

(C1) At 1st paragraph of page 9 appellant’s explains what Marquez-Lucero reference teaches and at the 2nd paragraph appellant’s argues that what Marquez-Lucero reference does not teach (i.e. has nothing to do with any method for inspecting the integrity of insulation of an insulated wire or cable etc.). Here, appellant’s failed to address about Oscilloscope. Examiner agrees with appellant’s assertion that Marquez-Lucero does not teach a method of testing a cable. Examiner had cited

Art Unit: 2829

Marquez-Lucero reference for the use of Oscilloscope (to measure the leakage current) because Cahill and Ogura references do not explicitly disclose use of the Oscilloscope to measure the leakage current. Cahill discloses use of ammeter to measure the leakage current. Leakage current is inherent to the current density at the tips of the flows for Ogura reference. The Oscilloscope, as taught by Marquez-Lucero reference, would be used with combination of Cahill and Ogura, in order to measure amplitude and phase values of the leakage current to study electrical characteristic (waveform etc.) of the insulation. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Cahill teaches ammeter to measure the current and thermal distribution on the surface of the insulation as shown in fig. 3-17. Ogura teaches use of thermal image camera in fig. 2a-2b to take thermal image of temperature distribution on the surface of the insulation. Marquez-Lucero discloses use of Oscilloscope (to display a test signal to reveal the impedance faults along the length of the cable) to measure and display a current. It would have been obvious to one having ordinary skill can replace ammeter of Cahill with Oscilloscope of Marquez-Lucero, in order to measure current with its display feature which enables lab personal or operator to determine the impedance signature of the cable under test [lines 20-31 of column 3 of Marquez-Lucero].

Art Unit: 2829

(D1) At 3rd paragraph of page 9 appellant's explains what Piety reference teaches and at the 4th paragraph appellant's argues what Piety reference does not teach including, any method for inspecting the integrity of insulation on an insulated wire or cable, the passage of current through wire or cable under test, application of fluid having electrolyte property to any wire or cable, nor does it specifically teach the use of its thermal imaging system for detection and display of the intensity of heat emanating from the wire or cable. Examiner agrees with appellant's assertion above. Examiner had cited Piety reference for the teaching of a recording means (to record images displayed by the thermal image system). Cahill and Ogura references do not explicitly disclose use of recording means to record images displayed by the thermal image system. Piety reference stores and processes the thermal images in the recording means so defects can be detected by studying thermal images at any time. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Cahill records thermal distribution data/images of an insulation surface on paper. Ogura uses thermal image camera to display images and is silent about storing of images in camera. In combination Cahill and Ogura does not explicitly discloses recording means to record images displayed on the thermal image system. Use of recording means as taught by Piety with thermal imaging system of Ogura is

Art Unit: 2829

advantageous because stored data can be used to measure and study different electrical parameters including detection of defects in the insulation at any time.

(E1) Under "Discussion of the rejection" of section VIII-2, page 10 of appeal brief, Examiner disagrees with appellant's assertion about motivation to combine references. Appellant's argues that there is no motivation. Earlier in this Office action at section 11(A4) Examiner has discussed the motivation to combine (i.e. Cahill measures the heat emanating from the surface of the insulation to find defects in the insulation and provides pictures and thermal distribution as shown in fig. 3-17. Ogura uses thermal camera to take thermal image of heat distribution on the surface of the sample to find defects, size and shape in insulation). For this reason and reason set forth at section 11(A4), 11(C1) and 11(D1), the Examiner maintains that a proper motivation has been set forth.

(F1) At third part of section VIII (i.e. VIII-3), page 11 of appeal brief, appellant's summarized three main errors:

(a) The Examiner misapprehends the teachings of the Cahill and Ogura references;

1. Cahill does not inspect -- it destructively tests wire insulation;
2. Ogura deals with CRFP panels and not wire or cables.

(b) None of the prior art references recognize the problem solved by appellants' combination of method steps;

(c) The Examiner has failed to provide any reason for combining any of the cited references;

Art Unit: 2829

(d) Each of the prior art references teach away from appellants' claimed method.

At pages 12-21, appellant's further argues above errors in detail, which includes similar arguments that Examiner responded earlier in this Office action. Examiner disagrees for the following reasons:

Regarding error (a)1 and similar argument found on pages 12-14 of appeal brief, In summary, examiner disagrees because: 1) Cahill discloses the claimed method and has to inspects the defects in the insulation of wires; 2) recited use is in preamble and all of the claimed steps are met by Cahill; 3) Cahill inherently inspected integrity of wire or cable during the course of his test. Section 11(A1-A5) of this answer explain these points in detail.

Regarding error (a)2 and similar arguments found on pages 14-15 of the appeal brief, Examiner disagrees because Ogura discloses thermal image system (camera) to take thermal image of temperature distribution on the surface of a insulation to find defects and flaws in the surface of the insulation. Also see section 11(B1).

Regarding errors (b), Examiner disagrees because in combination all the references disclose method steps as claimed.

Regarding error (c), Examiner disagrees because the motivation is to detect damage, flaws or defects on the insulation of wire or cable accurately using thermal imaging system display. This has been stated in the rejection of paper no. 12 and in this answer in section 11(A4), 11(C1) and 11(D1).

Regarding error (d), Examiner again disagrees because none of the references teaches away from the claimed method. Cahill discloses method steps as claimed

Art Unit: 2829

except for thermal image system to display heat emanating from the surface of the insulation of the wire or cable. Ogura discloses this deficiency of Cahill as stated earlier with thermal imaging system. Cahill also teaches use of ammeter to measure current, Marquez-Lucero teaches oscilloscope to measure the current signal. Cahill records its thermal distribution on paper, Ogura's camera displays thermal images but is silent about recording, and Piety discloses recording means to record thermal images.

Examiner again disagrees with appellant's assertion of arguments with references alone and in combination. Examiner directs the attention to section 11(A1-A5) to 11(E1) for response to arguments and also maintains the rejection as set forth in the last office action. At pages 16-20 of appeal brief, applicant again argues the same subject matter that appellant disagrees with.

For the above reasons, it is believed that the rejection should be sustained.

Respectfully submitted,

Paresh Patel


Aug. 22, 2003

Conferees

Paresh Patel

Cuneo, Kammie

Sircus, Brian


KAMAND CUNEO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800

Application/Control Number: 09/437,226
Art Unit: 2829

Page 21

NIXON & VANDERHYE P.C.

8th floor, 1100 North Glebe Road

Arlington, Virginia 22201-4714